




**Transforming
industrial robots
into tools
for every factory
in the world.**




Labor
shortages
mean that
**factories need
robotics to
succeed.**



A female industrial worker is shown in a factory setting, wearing a white hard hat, clear safety glasses, and a high-visibility yellow safety vest over a black jacket. She is focused on a task, with her hands on a control panel or a robotic arm. The background is slightly blurred, showing industrial equipment and structures. The text is overlaid on the right side of the image.

But modern
manufacturing
demands rapid
production
changes **and**
frequent robot
reprogramming to
handle variations.



Automation
experts are rare,
**and unavailability
creates production
stoppage and costs.**



NO

Return
on investment

NO

NoGo for automating
with robotics.

Transform
robots into
everyday tools
for the factory.





Make robots as easy to use as a drill.



01.

"Reprogram" the robot by showing not by coding.




02.

Remove the need to use proprietary tools.



03.


Software only for unlimited customization and integration.



FuzzyLogic



The first software only solution which can be used by non-experts on the factory floor and adapts to any application.




BUNDLE Production


[TRY IT NOW! | 🔗](#)[WATCH THE TUTORIALS! | 🔗](#)

No-code 3D digital-twin software to design, simulate, integrate and program robotic systems.



Universal real-time API for robots.
Takes control of all robot brands in the factory.





BUNDLE Production

[TRY IT NOW! | 🔗](#)[WATCH THE TUTORIALS! | 🔗](#)

No-code 3D digital-twin software to design,
simulate, integrate and program robotic systems.



Universal real-time API for robots.
Takes control of all robot brands in the factory.



Robot

Tool

CAD

Primitives

Reference Frame

Point Cloud

Robot Library

Search Search...

FILTER BY

☐ Show only favorites

Brand





































- ☐ ABB
- ☐ Fanuc
- ☐ Kuka
- ☐ Staubli
- ☐ UniversalRobots
- ☐ Yaskawa

Reachability

- ☐ 500-750mm
- ☐ 750-1000mm
- ☐ 1000-1500mm
- ☐ 1500mm-2000mm
- ☐ > 2000mm

Payload

- ☐ < 2kg
- ☐ 2-4kg
- ☐ 4-7kg
- ☐ 7-10kg
- ☐ 10-20kg
- ☐ 20-50kg
- ☐ 50-100kg
- ☐ > 100kg

 <p>ABB CRB 1100-4/0.475 Payload 4 kg Reach 475 mm</p>	 <p>ABB CRB 1100-4/0.58 Payload 4 kg Reach 580 mm</p>	 <p>ABB IRB 1010 1.5-370 Payload 1 kg Reach 370 mm</p>	 <p>ABB IRB 1200-5/0.9 Payload 5 kg Reach 900 mm</p>	 <p>ABB IRB 1200-7/0.7 Payload 7 kg Reach 700 mm</p>	 <p>ABB IRB 1300-10/1.15 Payload 10 kg Reach 1150 mm</p>	 <p>ABB IRB 1300-11/0.9 Payload 11 kg Reach 900 mm</p>	 <p>ABB IRB 1300-7/1.4 Payload 7 kg Reach 1400 mm</p>	 <p>ABB IRB 1660ID-4/1.55 Payload 4 kg Reach 1550 mm</p>
 <p>ABB IRB 1660ID-6/1.55 Payload 6 kg Reach 1550 mm</p>	 <p>ABB IRB 6620 Payload 150 kg Reach 2200 mm</p>	 <p>ABB IRB 6640_185_280 Payload 185 kg Reach 2800 mm</p>	 <p>ABB IRB 6700_155_285 Payload 155 kg Reach 2850 mm</p>	 <p>Fanuc LR Mate 200ID Payload 7 kg Reach 717 mm</p>	 <p>Fanuc LR Mate 200ID/7L Payload 7 kg Reach 911 mm</p>	 <p>Fanuc M-20iA/20M Payload 20 kg Reach 1813 mm</p>	 <p>Fanuc R-1000iA/100F Payload 100 kg Reach 2230 mm</p>	 <p>Fanuc R-2000iC/165F Payload 165 kg Reach 2655 mm</p>
 <p>Kuka KR 10 R1100 sixx Payload 10 kg Reach 1101 mm</p>	 <p>Kuka KR 10 R1100-2 Payload 10 kg Reach 1101 mm</p>	 <p>Kuka KR 10 R1420 Payload 10 kg Reach 1420 mm</p>	 <p>Kuka KR 10 R1440-2 Payload 10 kg Reach 1440 mm</p>	 <p>Kuka KR 10 R900-2 Payload 11 kg Reach 901 mm</p>	 <p>Kuka KR 12 R1810-2 Payload 22 kg Reach 1813 mm</p>	 <p>Kuka KR 150 R3100-2 Payload 150 kg Reach 3100 mm</p>	 <p>Kuka KR 16 Payload 16 kg Reach 1611 mm</p>	 <p>Kuka KR 16 R1610-2 Payload 16 kg Reach 1612 mm</p>
 <p>Kuka</p>	 <p>Kuka</p>	 <p>Kuka</p>	 <p>Kuka</p>	 <p>Kuka</p>	 <p>Kuka</p>	 <p>Kuka</p>	 <p>Kuka</p>	 <p>Kuka</p>




Contact us



No-code 3D digital-twin software to design,
simulate, integrate and program robotic systems.






1. Enable factory personnel to reprogram as production changes.
2. Validate changes safely with the perfect 3D digital twin and execute them with confidence in one click.
3. One intuitive tool from design to integration to production.





Universal real-time API for robots.
Takes control of all robot brands in the factory.




FuzzyRTOS

1. Develop applications that work the same for any robot brand.
2. Keep the intelligence in your application.
3. Powerful API so you can focus on your application and not the robot.






Software designed to be integrated to fit the factory needs.



FuzzyLogic

Provides a software platform to Integrator Partners.



INTEGRATOR

Configures and integrates the software in their robotic workcell for production applications.



FACTORY


Uses the robotic workcell and adapts it to their production changes.





Application
Example:

**Robotic laser
cleaning with
Meliad.**





Cyril Griotier

Senior Sales Engineer



☎ +33.6.95.96.23.97

✉ cyril.griotier@flr.io

